Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.




62.09



"TRY CLARKE"

W. B. CLARKE & SON





P. O. Box 343

SAN JOSE, CALIFORNIA

Phone S. J. 1776

November 15, 1925

LIST 2510

THIS LIST COVERS STOCK OFFERED BY

CLARKE NURSERY CO.

SAN JOSE, CALIF. SEASON 1925-1926

PLEASE NOTE

All summer quotations not accepted to date are hereby cancelled. GRADING. Plants that are wider than they are tall are graded by width.

QUANTITIES. Five or more plants of one kind and size will be supplied at 10 rate; 50 or more at 100 rate; 500 or more at 1000 rate.

POTS. Prices on pot grown stock do not include the pots and unless otherwise instructed plants will be removed from pots before shipping. If wanted in the pots they will be charged for at cost, but can be returned if desired and credit will be given.

PACKING. Will be charged for at cost as usual. Plants will be packed to secure lowest possible freight classification consistent with the nature of goods shipped.

SHIPPING. Our responsibility ceases when goods are delivered to transportation company in good order. They travel at buyer's risk. Please state distinctly whether you wish goods shipped by freight or express and where water shipment is possible be sure to specify by water or rail as you may prefer.

NOMENCLATURE. All plant names, both botanical and common, have been revised to conform with 1923 edition of "Standardized Plant Names," if listed in that book. The only exceptions are a few uncommon items and novelties which that work does not include, and the addition of a few common names widely used on the Pacific Coast. This standardized nomenclature should unquestionably be followed by everyone from now on.

This list covers items of which we now have a fairly good supply unsold. Many other things can be furnished in moderate quantities and quotations will be made on request. So if you want any ornamental stock not listed here write us about it.

This list is for the trade only and all prices are strictly net.

CONIFERS

Unless otherwise noted all plants in this section will be balled at prices quoted.

	each rate	10 rate	100 rate
ABIES numidica (baborensis) (Algerian Fir), 6 to 6½ ft\$ 4½ to 5 ft\$ 4 to 4½ ft	7.00 5.00 4.50	\$ 6.50 4.50 4.00	
CEDRUS deodara (Deodar), 12 to 15 in	.85 .75	.75 .60	.65 .50
CHAMAECYPARIS lawsoniana argentea (Silver Lawson Cypress), 2 to 2½ ft	2.50	2.00	
lawsoniana Triomphe de Boskoop, 1½ to 2 ft	1.50	1.25	
CRYPTOMERIA japonica elegans (Plume Cryptomeria) 1 to 1½ ft	1.00	.75	
CUPRESSUS arizonica (Arizona Cypress), 5 to 6 ft	$\frac{1.50}{1.25}$	$\frac{1.25}{1.00}$	1.00
4 to 5 ftgallon cans, 2 to 3 ft	.60	.50	
gallon cans, 1½ to 2 ftglabra stricta (new), 5 to 5½ ft	.50 — 3.50	.40 3.00	
2 to 3 ft	$1.75 \\ 1.50$	$1.50 \\ 1.25$	
macrocarpa (Monterey Cypress), 3 in. pot, 4 to 8 in.	.25	.20	.15
sempervirens stricta (Columnar Italian Cypress)	9 50	2 00	
7 to 8 ft	$\frac{3.50}{2.50}$	$\frac{3.00}{2.25}$	
5 to 6 ft	$\frac{2.00}{1.75}$	$\frac{1.75}{1.50}$	
gallon cans, 3 to 4 ft	.75	.60	.50
4-in. pots, 1½ to 2 ft	.50 $.40$	$.40 \\ .35$.30 .25
2½ and 3 in. pot, 6 to 8 in	.25	.20	.15
Silverspray Cypress (new), grafted, 3½ to 4 ft	$\frac{2.50}{2.00}$	$\begin{array}{c} 2.00 \\ 1.75 \end{array}$	
JUNIPERUS chin, albovariegata (Whiteleaf Chinese Juniper, 2½ to 3 ft	3.50	3.00	
chinensis fortunei (Fortune Juniper), 16 in. box, 6 to 8 ft	4.00		
chinensis pfitzeriana (Pfitzer Juniper), 24 to 3 ft	2.50	2.00	
2 to 2½ ft 1½ to 2 ft; 10 to 12 in	$\frac{2.00}{1.50}$	$\substack{1.75\\1.25}$	1.65
10 to 12 in	1.00 7.00	.75	
excelsa stricta (Spiny Greek Juniper), 15 to 18 in 10 to 12 in	1.75	1.50	
sabina (Savin Juniper), 2 to $2\frac{1}{2}$ ft	$\frac{1.25}{2.50}$	$\frac{1.00}{2.00}$	
1 to 1½ ft	1.50	1.25	
virginiana kosteriana (Koster Redcedar), 4½ to 5 ft.	5.00	4.00	
3½ to 4 ft	$\frac{4.00}{3.00}$	$\frac{3.50}{2.50}$	
2 to 2½ ft	2.50	2.00	
1 to 1 1/2 ft	1.50	$1.50 \\ 1.25$	
Wilson's weeping (new), 5 to 6 ft	10.00		
2½ to 3 ft	3.50		
PINUS armandi (new), (Armand Pine), 4 in pot, 4 to 8 in	.35	.30	.25
SEQUOIA gigantea pendula (Weeping Giant Sequoia)			
2 to 2½ ft	3.00		
	2.50		
THUJA orientalis (Oriental Arborvitae), (selected seedlings, compact type), 2½ to 3 ft	2.00	1.50	
orientalis aurea conspicua (Goldspire Arborvitae), 12 to 15 in	1.25	1.00	
orientalis aurea nana (Berkmans Golden Arborvitae)			
12 to 15 in	$\frac{1.50}{.75}$	1.25 .60	
orientalis decussata (Retinospora sieboldi), 1 to 1½ ft.	1.00	.75	
6 to 12 in	.75	.50	

BROAD LEAVED EVERGREENS

Unless otherwise noted all plants in this section will be balled at prices quoted.

ABELIA grandiffora (Glossy Abelia), 2½ to 3 ft. \$1.50 \$1.50 \$1.50 \$1.50 to 1½ ft.		each rate	10 rate	100 rate
ACACIA armata (Kangaroo Thorn), 5-in. pot, 4 to 5 ft 50	ABELIA grandiflora (Glossy Abelia), 2½ to 3 ft	\$1.50 .75	.60	.50
baileyana (Cootamundra Wattle), 5 in. pot, 4 to 5 ft. 1,00	ACACIA armata (Kangaroo Thorn), 5-in, not, 4 to 5 ft	.60	.50	.40
5 and 6 in, pot, 2 to 3 ft. .60 .50 .50 .60 .50 .40 .50 .40 .30 .4 .40 .30 .25 .20 deutrers dealbate (mollissim) (Silver Wattle), 5 gal. cans, 6 to 7 ft. .75 .60 .50 .40 .30 .25 .20 lation total to 10 .50 .50 .50	4 and 5 in. pot, 3 to 4 ft	.40	.30	.25
cultriformis (Knife Acacia), 5 in pot, 3 to 4 ft	5 and 6 in. pot, 3 to 4 ft	.75	.60	
decurrens dealbata (mollissima) (Silver Wattle), 5 gal. cans, 6 to 7 ft	4 in. pot, 1 to 1½ it	.50	.40	.30
decurrens dealbata (mollissima) (Silver Wattle), 5 gal. cans, 6 to 7 ft	cultriformis (Knife Acacia), 5 in pot, 3 to 4 ft	.40	.30	.25
5 in, pot, 4 to 5 ft	decurrens dealbata (mollissima) (Silver Wattle).			
5 in, pot, 4 to 5 ft	5 gal. cans, 6 to 7 ft			.50
latifolia (Broadleaf Acacia), 5 gal. can., 7 to 8 ft	5 in not 4 to 5 ft	.60	.50	.40
latifolia (Broadleaf Acacia), 5 gal. can., 7 to 8 ft	4 and 5 in. pot, 3 to 4 ft		.40	
5 in. pot, 5 to 6 ft	4 in. pot, 1 to 2 ft			
\$ in, pot, 4 to 5 ft.	5 in. pot, 5 to 6 ft	.75	.50	
A in. pot, 2 to 3 ft.	5 in. pot, 4 to 5 it			
latifolia (Standards) 8 and 10 in. pot, 5 ft. stems. 1.50 melanoxylon (Blackwood Acacia), 5 gal cans, 7 to 8 ft. 1.25 1.00 5 and 6 in. pots, 6 to 7 ft. 1.00 .60 .50 5 and 6 in. pots, 5 to 6 ft. .75 .50 .40 .51 .50				
5 gal cans, 7 to 8 ft.	latifolia (Standards) 8 and 10 in. pot, 5 ft. stems melanoxylon (Blackwood Acacia).	1.50	1.25	
5 and 6 in. pot, 4 to 5 ft	5 gal cans, 7 to 8 ft		1.00	F0
5 and 6 in. pot, 4 to 5 ft	5 and 6 in not 5 to 6 ft		.60 50	
neriifolia (floribunda), (Bald Acacia), 5 in. pot, 5 to 6 ft	5 and 6 in. pot, 4 to 5 ft		.40	.35
neriifolia (floribunda), (Bald Acacia), 5 in. pot, 5 to 6 ft	4 and 5 in. pot, 3 to 4 ft			
neriifolia (floribunda), (Bald Acacia), 5 in. pot, 5 to 6 ft	4 in. pot, 2 to 3 it			
4 in. pot, 2 to 3 it	neriifolia (floribunda), (Bald Acacia),			
4 in. pot, 2 to 3 it	5 in. pot, 5 to 6 ft			
4 in. pot, 1½ to 2 ft	4 in. pot, 2 to 3 ft.		.50	
** terticillata (Star Acacia), 4 in. pot, 1½ to 2 ft	4 in. pot, 1½ to 2 ft			.20
ARBUTUS menziesi (Madrone) 5 and 6 in. pot, 12 to 15 in	6 in. pot, 3 to 4 ft			
ARBUTUS menziesi (Madrone) 5 and 6 in. pot, 12 to 15 in	verticillata (Star Acacia), 4 in. pot, 1½ to 2 ft			
AUCUBA japonica (Japanese Aucuba), 5 in. pot, 8 to12 in75 .50 japonica variegata (Golddust Aucuba), 8 to 12 in100 .75 5 in. pot, 1 ½ to 2 ft1.25 1.00 .75 5 in. pot, 1 to 1½ ft1.00 .75 .60 .50 .50 .50 .50 .50 .50 .50 .50 .50 .5		.30	.25	.20
AUCUBA japonica (Japanese Aucuba), 5 in. pot, 8 to12 in75 .50 japonica variegata (Golddust Aucuba), 8 to 12 in100 .75 5 in. pot, 1 ½ to 2 ft1.25 1.00 .75 5 in. pot, 1 to 1½ ft1.00 .75 .60 .50 .50 .50 .50 .50 .50 .50 .50 .50 .5	5 and 6 in. pot, 12 to 15 in			
japonica variegata (Golddust Aucuba), 8 to 12 in	5 In. pot, 6 to 8 In			
5 in. pot, 1½ to 2 ft. 1.25 1.00 5 in. pot, 1 to 1½ ft. 1.00 .75 5 in. pot, 10 to 1½ ft. 1.00 .75 60 .60 BERBERIS atrocarpa, 1½ to 2 ft. 1.00 .75 .60 1 to 1½ ft. .75 .60 .50 darwini (Darwin Barberry), 2 to 3 ft. 1.50 1.25 1½ to 2 ft. 1.00 .85 .75 1 to 1½ ft. .75 .60 .50 8 to 12 in. .60 .50 .40 4 in. pot, 10 to 15 in. .50 .40 .30 .25 3 in. pot, 4 to 6 in. .25 .20 .15 laevis, 1½ to 2 ft. 1.00 .85 .75 pruinosa, 1½ to 2 ft. 1.00 .85 .75 stenophylla (Rosemary Barberry), 3 to 4 ft. 1.25 1.00 .85 viridis, 1½ to 2 ft. 1.00 .85 .75				
BERBERIS atrocarpa, 1½ to 2 ft. 1.00 .75 .60 .50 1 to 1½ ft. .75 .60 .50 darwini (Darwin Barberry), 2 to 3 ft. 1.50 1.25 1.25 1½ to 2 ft. 1.00 .85 .75 1 to 1½ ft. .75 .60 .50 8 to 12 in. .60 .50 .40 4 in. pot, 10 to 15 in. .50 .40 .30 .25 3 in. pot, 4 to 6 in. .25 .20 .15 laevis, 1½ to 2 ft. 1.00 .85 .75 pruinosa, 1½ to 2 ft. 1.00 .75 .60 1 to 1½ ft. .75 .60 .50 stenophylla (Rosemary Barberry), 3 to 4 ft. 1.25 1.00 .85 viridis, 1½ to 2 ft. 1.00 .85 .75	Japonica variegata (Golddust Aucuba), 8 to 12 in			
BERBERIS atrocarpa, 1½ to 2 ft. 1.00 .75 .60 .50 1 to 1½ ft. .75 .60 .50 darwini (Darwin Barberry), 2 to 3 ft. 1.50 1.25 1.25 1½ to 2 ft. 1.00 .85 .75 1 to 1½ ft. .75 .60 .50 8 to 12 in. .60 .50 .40 4 in. pot, 10 to 15 in. .50 .40 .30 .25 3 in. pot, 4 to 6 in. .25 .20 .15 laevis, 1½ to 2 ft. 1.00 .85 .75 pruinosa, 1½ to 2 ft. 1.00 .75 .60 1 to 1½ ft. .75 .60 .50 stenophylla (Rosemary Barberry), 3 to 4 ft. 1.25 1.00 .85 viridis, 1½ to 2 ft. 1.00 .85 .75	5 in. pot, 1 to 1½ ft			
darwini (Darwin Barberry), 2 to 3 ft		.75	.60	
darwini (Darwin Barberry), 2 to 3 ft. 1.50 1.25 1½ to 2 ft. 1.00 .85 .75 1 to 1½ ft. .75 .60 .50 8 to 12 in. .60 .50 .40 4 in. pot, 10 to 15 in. .50 .40 .30 .25 3 in. pot, 4 to 6 in. .25 .20 .15 laevis, 1½ to 2 ft. 1.00 .85 .75 pruinosa, 1½ to 2 ft. 1.00 .75 .60 1 to 1½ ft. .75 .60 .50 stenophylla (Rosemary Barberry), 3 to 4 ft. 1.25 1.00 .85 viridis, 1½ to 2 ft. 1.00 .85 .75	1 to 1½ ft			
laevis, 1½ to 2 ft	darwini (Darwin Romborny) 2 to 2 ft	1 50		
laevis, 1½ to 2 ft	1 to 116 ft	1.00		
laevis, 1½ to 2 ft	8 to 12 in	.60	.50	.40
laevis, 1½ to 2 ft	4 in. pot, 10 to 15 in	.50	.40	.30
laevis, 1½ to 2 ft	3 in. pot, 4 to 6 in	.40		.25
pruinosa, 1½ to 2 ft				
1 to 1½ ft	pruinosa, 1½ to 2 ft			
viridis, 1½ to 2 ft	1 to 1½ ft			
	stenophylla (Rosemary Barberry), 3 to 4 ft			
	1 to 1½ ft			

BERBERIS—(Continued).	each rate	10 rate	100 rate
	1.50	1.25	Tacc
wilsonae (Wilson Barberry), 2½ to 3 ft	1.25	1.00	.85
1½ to 2 ft	1.00	.75	.60
1 to 1½ ft	.75	.60	.50
1½ to 2 ft	.65	.50	.40
4 in. pot, 1 to 1½ ft	.40	.30	.25
BUDDLEIA davidi superba (Juno Butterflybush), 5 in. pot, 4 to 6 ft	.75	.50	
davidi veitchiana (Veitch Butterflybush),	.60	.50	.40
5 in. pot, 3 to 4 ft			.40
farquhari, 5 in. pot, 4 to 6 ft	.75 .60	.50 .40	
	.00	.40	
lindleyana (Lindley Butterflybush), 5 in. pot, 2 to 3 ft	.60	.50	.40
4 in. pot, 1½ to 2 ft	.50	.35	.30
4 in. pot, 1 to 1½ ft	.40	.30	.25
BUXUS sempervirens (Common Box) ("English Boxwood")	,		
Globes, 10 to 12 in	1.25	1.00	
Pyramids, 2 to 2½ ft	3.00	2.50	
1 to 1½ ft,	2.00	1.50	
CALLISTEMON coccineus (Scarlet Bottlebrush),			
4 in. pot, 2 to 3 ft	.50	.40	.35
4 in. pot 1½ to 2 ft	.40	.30	.25
4 in. pot, 1 to 1½ ft	.35	.25	.20
linearis, 4 in. pot, 2 to 3 ft	.50	.40	.35
phoenicius, 4 in. pot, 2 to 3 ft	.50	.40	
4 in. pot, 1½ to 2 ft	.40	.30	.25
rigidus, 4 in. pot, 2 to 3 ft	.50	.35	.30
4 in. pot, 1½ to 2 ft	.40	.30	.25
mixed hybrids, 4 in. pot, 2 to 3 ft	.50	.35	.30
4 in. pot, 1½ to 2 ft	.40	.30	.25
CASUARINA stricta (Beefwood), 5 in. pot, 4 to 5 ft	.50	.40	.35
5 III. pot, 4 to 10 III	.25	.20	.15
CEANOTHUS arboreus hybridus, gallon can, 2 to 3 ft	.50	.40	.35
spinosus, gallon can, $1\frac{1}{2}$ to 2 ft	.40	.35	
thyrsiflorus (Blueblossom), 4 in. pot, 8 to 12 in	.40	.30	.25
verrucosus, gallon can, 3 to 4 ft	.75	.60	
gallon can, 2 to 3 ft	.65	.50	.40
		.40	
CERATONIA siliqua (Carob), 5 in. pot, 1½ to 2 ft	$.50 \\ .40$.30	
	.75		
CHOISYA ternata (Mexican-Orange), 1 to 1½ ft	.10	.60	
CISTUS albidus (Whiteleaf Rockrose) 4 in. pot, 6 to 8 in.	.25	.20	
COPROSMA baueri (Coral Coprosma),			
4 in. pot, 1 to 1½ ft	.40	.30	.25
4 In. pot, 10 w 12 In	.30	.25	.20
COTONEASTER dielsiana (applanata), (Diels Cotoneaster),			
4 in. pot, 2 to 3 ft	.40	.35	.30
dielsiana elegans (schneideri), 1½ to 2 ft	1.00	.75	.60
1 to 1½ ft	.75	.60	.50
4 in. pot, 1½ to 2 it	.50 .40	.40 .30	.30 .25
			.20
francheti (Franchet Cotoneaster), 4 to 5 ft	1.50	$1.50 \\ 1.25$	1.00
2 to 2½ ft. light.	1.00	.75	.60
1½ to 2 ft, light	.75	.60	.50
1 to 1½ ft	.65	.50	.40
2 to 2½ ft, light	.30	.25	.20
frigida (Himalayan Cotoneaster), 6 to 8 ft	2.50	2.00	1.75
2 to 3 ft	1.00	.75	.60
1½ to 2 ft	.75	.60	.50
harroviana (new), 1 to 1½ ft	$\frac{1.00}{.75}$.75 .60	.60 .50
8 to 12 in	1.00	.75	.60
4 in. pot, 1½ to 2 ft	.75	.60	.50
4 in pot, 8 to 12 in	.50	.45	.30
horizontalis (Rock Cotoneaster), 1 to 11/2 ft	.75	.60	.50
10 to 12 in	.65	.50	.40
4 in. pot, 1½ to 2 ft	.50	.40	-35
4 in. pot, 1 to 1½ ft	.40	.35 .15	.30 .10
272 III. pot, 8 to 4 III	.20	.10	140

	each rate	10 rate	100 rate
microphylla (Rockspray), 1 to 1½ ft	.75	.60	
10 to 12 in	.60 .40	.50 .30	.25
pannosa (Silverleaf Cotoneaster), 5 to 6 ft	1.75	$1.75 \\ 1.50$	$\frac{1.50}{1.25}$
2 to 3 ft	1.25	1.00	.85
1½ to 2 It	$\frac{1.00}{.75}$.75 .60	.60 .50
gallon cans, 2 to 3 ft	.60	.50	.40
4 in pot, 1 to 1½ft	.35	.25	.20
272 and 5 m pot, 4 to 6 m	.50	.20	.15
praecox, 1 to 1½ ft 5 in. pot, 1 to 1½ ft	.75 .60	.60 .50	
prostrata, 8 to 12 in	.75	.60	.50
salicifolia (Willowleaf Cotoneaster),			
4 in. pot, 8 to 12 in	.40	.30	.25
	.35	.25	.20
simonsi (Simons Cotoneaster), 2 to 3 ft	$\substack{1.25\\.50}$	$\substack{1.00\\.40}$.75
4 in. pot, 1 to 1½ ft	.35	.25	.20
	.60	.50	
zabeli, 1½ to 2 ft., light	.40	.30	.25
COTONEASTER—Standards (top grafted)			
francheti, 5 in. pot, 4 ft. stem, 1 yr. head	$\frac{1.50}{1.25}$	$\frac{1.25}{1.00}$	
harroviana,	1.20	1.00	
5 in. pot, 4½ to 5 ft. stem, 1 yr. head, heavy 5 in. pot, 3 to 3½ ft. stem, 1 yr. head, heavy	1.75	1.50	
		1.25	
horizontalis, 5 in. pot, 2 ft. stem, 1 yr. head, light		.75	
microphylla, 4 and 5 in. pot, 2 ft. stem, 1 yr. head	1.00	.75	
microphylla thymifolia	1.00	75	
5 in. pot, 1½ ft. stem, 1 yr. head		.75 1.75	
pannosa, 5 in. pot, 4 to 5 ft. stem, 2 yr. head	1.50	1.75	
pyrenaica, 5 in. pot, 1 ft. stem, 2 yr. head	1.25	1.00	
pyrenaica, 5 in. pot, 1 ft. stem, 2 yr. head 5 in. pot, 1 ft. stem, 1 yr. head	1.00	.75	
CVTICIE conorionsis (Conoru Broom)			
CYTISUS canariensis (Canary Broom) 5 in. pot, 3 to 4 ft	.50	.40	
5 in. pot, 2½ to 3 ft	.40	.30	.25
4 in. pot, 1 to 1½ it	30	.25	
maderensis magnifoliosus (stenopetalus) (Leafy Madeira Broom),			
5 in. pot and gallon cans, 5 to 6 ft	1.00	.75	.60
5 in pot and gallon cans, 4 to 5 ft	.75 .35	.60 .25	$.50 \\ .20$
3 in. pot, 2 to 3 ft	30	.20	.15
praecox luteus (grafted) 5 in. pot, 10 to 15 in		.40	
4 in. pot, 6 to 8 in	40	.35	
racemosus (cuttings) (Easter Broom), 5 in. pot, 10 to 12 in	75	co	F0
5 in. pot. 6 to 10 in	75 60	.60 .50	.50 .40
4 in. pot, 6 to 8 in	.50	.40	.30
		95	0.0
DIOSMA ericoides (Breath-of-Heaven), 3 in. pot, 6 to 8 in		.25 . 6 0	.20 .50
reevesi, 1 to 1½ ft	40	.30	.25
4 in. pot, 4 to 6 in	30	.25	.20
ERIOBOTRYA japonica (Loquat), 1 to 11/2 ft	60	.50	
6 in. pot, 1½ to 2 ft	50	.40	.35
6 in. pot, 1½ to 2 ft 6 in. pot, 1 to 1½ ft 4in. pot, 10 to 15 in	40 35	.35 .30	95
			.25
ESCALLONIA rosea (Rose Escallonia), 5 to 6 ft	. 1.50 40	1.25 .30	
4 in. pot, 1 to 1½ ftrubra glabriuscula (Red Escallonia),	40	.00	
4 in. pot, 6 to 10 in	40	.30	.25
congrings (bright red flowers) 4 to 5 ft.	. 1.75	1.50	
3 to 4 ft	. 1.50 1.25	$\substack{1.25\\1.00}$	1.00
5 in. pot. 2 to 2½ ft light	50	.40	.30
3 to 4 ft	35	.25	.20

	each rate	10 rate	100 rate
EUCALYPTUS leucoxylon rosea (Pink Ironbark)			
4 in. pot, 4½ to 5 ft	.75	.60	.50
4 in. pot, 3 to 4 ft	.60 .50	.50 .40	.40 .35
3 in. pot, 1½ to 2 ft	.40	.30	.25
EUGENIA apiculata (Myrtus luma) (Shortleaf Eugenia) 5 in. pot, 8 to 12 in	.30	.25	
EUONYMUS japonicus microphyllus (Boxleaf Burningbrush), 10 to 12 in 6 to 10 in	.60 .50	.50 .40	
japonicus aureo-marginatus (Giltedge Burningbrush), 10 to 15 in	.60 .40	.50 .30	.25
FEIJOA sellowiana (Feijoa), 6 in. pot, 2 to 3 ft	.60	.50	
GENISTA elatior, 5 in. pot, 10 to 12 in	.50	.35	.30
3 in. pot, 4 to 6 in.	.35	.25	
GREVILLEA robusta (Silk-Oak),			
5 in. pot, 3 to 3½ ft	.65	.50	90
5 in. pot, 2 to 3 ft	.50 .40	.40 .30	.30 .25
4 in. pot, 1½ to 2 ft	.35	.25	.20
3 in. pot, 4 to 6 in	.25	.20	.15
		.30	•=•
HAKEA pugioniformis, 5 in. pot, 1½ to 2 ft	.40	.30	
HYPERICUM moserianum (Goldflower), 4 in. pot, 8 to 12 in	.35	.30	.25
t land bear (Honey Hypericum) 2 to 4 ft	1.25	1.00	.75
patulum henryi (Henry Hypericum), 3 to 4 ft	.75	.60	.10
5 in. pot, 2 to 3 ft	.50	.40	
4 in. pot. 1 to 1½ ft	.40	.30	.25
4 in. pot, 1 to 1½ ft	.20	.15	.10
ILEX aquifolium (English Holly) (seedlings), 3 in. pot, 4 to 6 in	.30	.25	.20
aquifolium (Dutch Type) 6 to 7 ft	7.00	6.00	
5 to 6 ft	6.00	5.00	
4 to 5 ft	5.00	4.00	
2 to 2½ ft	2.50	2.25	
1½ to 2 ft	2.00	1.75	
Van Tol, 5 to 6 ft	6.00	5.00	
4 to 5 ft	5.00	4.00	
LAUROCERASUS caroliniana (Carolina Cherry-Laurel), 5 in. pot, 1½ to 2 ft	.40	.30	
officinalis (English Cherry-Laurel), 2 to 3 ft	1.75	1.50	1.25
1½ to 2 ft	1.25	1.00	.75
1½ to 2 ft	1.00	.75	
LEPTOSPERMUM laevigatum (Australian Tea-Tree)	50	95	20
4 in. pot, 1½ to 2 ft	.50	.35	.30
Privet), 4 to 5 ft(Golden Cantolina	2.00	1.50	
1 to 1½ ft	.75	.60	
10 to 12 in	.60	.50	.40
gallon can, 2 to 3 ft	.75	.60	
LONICERA nitida (Box Honeysuckle), 3 to 4 ft	1.25	1.00	.75
2 to 3 ft	1.00	.75	.65
1½ to 2 ft	.75	.60 .20	.50 .15
8 in. pot, 8 to 12 innitida Pyramids, 3 to 4 in., heavy	.25 2.50	2.00	.10
MAHONIA aquifolium (Oregon Hollygrape), 1 to 1½ ft 8 to 12 in	1.00 .75	.75 .60	.60 .50
bealei (japonica) (Leatherleaf Hollygrape),			
1½ to 2 ft	1.00	.75	
4 in. pot, 4 to 8 in	.30 .25	.25 .20	.20 .15
MELALEUCA ericifolia (Heath Melaleuca),			
5 in. pot, 2 to 3 ft	.50	.40	
MYRTUS communis (True Myrtle), 3 to 4 ft	$1.50 \\ 1.25$	$\frac{1.25}{1.00}$	1.00 .75

communis, (Pyramids), 3 to 4 ft	each rate 1.75	10 rate 1.50	100 rate
communis microphylla (Rosemary Myrtle),	1.50	1.25	
4 in. pot, 12 to 15 in	.50	.40	.30
NANDINA domestica (Nandina), 2 to 2½ ft	$1.50 \\ 1.25$	$\frac{1.25}{1.00}$	1.00 .85
1 to 1½ ft	$\frac{1.00}{.75}$.75 .60	.65 .50
4 and 5 in. pot, 8 to 12 in	.65	.50	.40
4 in. pot, 6 to 8 in	.50	.40	.30
PHOTINIA arbutifolia (Christmasberry; Toyon; California	1 75	1 50	
Holly), 5 gallon can, 3½ to 4 ft	$\substack{1.75\\1.50}$	$\substack{1.50\\1.25}$	1.00
5 in. pot, 3½ to 4 ft	1.25	1.00	.85
5 in. pot, 1½ to 2 ft	$\frac{1.00}{.75}$.85 . 6 0	.75 .50
	.40	.35	.30
glabra, 5 gallon can, 3 to 4 ft	1.50	1.25	•
serrulata (Low Photinia), 1 to 1½ ft	$\substack{1.00\\.75}$.75 .60	.60 .50
PITTOSPOROUM eugenioides (Tarata), 4 to 5 ft	$\substack{1.25\\.75}$	$1.00 \\ .60$.85 .50
2 to 3 ft	.40	.30	.25
	.35	.25	.20
phillyraeoides (Willow Pittosporum), 6 in. pot, 3 to 4 ft	.75	.60	
	1.75	1.50	
tenuifolium (nigricans), (Tawhiwhi), 5 to 6 ft	1.50	1.25	1.00
3 to 4 ft	$\frac{1.25}{.50}$	$\begin{array}{c} \textbf{1.00} \\ \textbf{.40} \end{array}$.30
4 in. pot, 2 to 3 ft	.40	.30	
4 in. pot, 1 to 1½ ft	.30	.25	.20
tobira (Tobira), 1½ to 2 ft	$\substack{1.00\\.75}$.85 . 6 0	.75 .50
1 to 1½ ft	.25	.20	.15
PRUNUS ilicifolia (Hollyleaf Cherry), 4 in. pot, 10 to 15 in. 3 and 4 in. pot, 6 to 10 in	.40 .30	.30 .25	$\frac{.25}{.20}$
lyoni (integrifolia) (Catalina Cherry),			
lyoni (integrifolia) (Catalina Cherry), 4 in. pot, 1½ to 2 ft	.50 .40	.40 .30	.35 .25
4 in. pot, 6 to 12 in	.30	.25	.20
PYRACANTHA angustifolia (Narrowleaf Firethorn), 4 to 5 ft	2.00	1.50	1.25
3 to 4 ft	1.75	1.25	1.00
2 to 3 ft	$\substack{1.50 \\ 2.00}$	$\frac{1.00}{1.50}$	1.25
4 and 5 in. pot, 3 to 4 ft	.50	.40	.35
4 and 5 in. pot, 3 to 4 ft	.40	.35	.30
coccinea (lalandi seedlings) (Firethorn), 2 to 2½ ft	1.00	.75	.65
1½ to 2 ft	.75	.60	.50
4 in. pot, 1½ to 2 ft	.40 .35	.35 .30	$.30 \\ .25$
coccinea lalandi (cuttings) (Laland Firethorn).	.00		0
2½ to 3 ft	1.50	1.25	
1½ to 2 ft. light	$\frac{1.00}{.85}$.85 .70	.75 .60
2½ to 3 ft. 2 to 2½ ft., light. 1½ to 2 ft, light. 1 to 1½ ft.	.75	.60	.50
crenulata (Nepal Firethorn),	1 50	1.25	1.00
berried, 3 to 4 ftsome berries, 2 to 3 ft	$1.50 \\ 1.25$	1.00	.75
1½ to 2 ft	1.00	.75	.60
1½ to 2 ft	.50 .40	.40 .30	$.30 \\ .25$
kansuensis (new) 4 in. pot, 6 to 10 in	.40	.30	.25
2½ in. pot, 3 to 6 in	.25	.20	.15
4 in. pot, 4 to 6 in., grafted	.50	.40	.30
umbellata ovata (Roundleaf Yeddo-Hawthorn), 4 in pot, 4 to 6 in	.35	.25	.20
2½ and 3 in. pot, 2 to 4 in	.25	.20	.15
RHAMNUS californica (California Buckthorn), 5 in pot, 1½ to 2 ft	.40	.30	

	each rate	10 rate	100 rate
SCHINUS molle (California Peppertree), 5 in pot, 5 to 6 ft	.75	.60	F0
5 in not 4 to 5 ft	.60	.50	.50 .40
5 in. pot, 3 to 4 ft	.50	.40	.30
5 in. pot, 3 to 4 ft	.40	.30	.25
	.30	.25	.20
SPARTIUM junceum (Spanish Broom) (Weavers Broom), 4 in. pot, 1½ to 2 ft			
4 in. pot, 2 to 3 ft	.40	.30	.25
4 in. pot, 1½ to 2 ft	.30	.25	.20
STERCULIA diversifolia (Black Kurrajong),			
8 in. pot, 3 to 4 ft	.50	.40	
8 in. pot, 2 to 3 ft	.40	.30	
STRANVAESIA undulata, 5 in pot, 1 to 1½ ft	.60	.50	
TAMARIX articulata (Evergreen Tamarix),			
gallon can, 1 to 2 ft	.50	.40	
TEMPI ETONIA metuco (Melhouma Comelhugh)			
5 in not 11/2 to 2 ft.	.60	.50	
TEMPLETONIA retusa (Melbourn Coralbush), 5 in. pot, 1½ to 2 ft	.50	.40	
TRISTANIA conferta (Brisbane Box), 2½ in pot, 2 to 4 in.	.25	.20	.15
VERONICA buxifolia, 8 to 10 in	.50	.40	
6 to 8 in	.40	.35	.30
4 to 6 in	.35	.30	.25
4 to 6 in	.40	.30	15
	.25 .25	.20	.15
chathamica, 3 in. pot, 6 to 8 in		.20	.15
cupressoides, 1½ to 2 ft	$\frac{1.25}{1.00}$	$\frac{1.00}{.85}$.85 .75
cupressoides, 1½ to 2 ft	.75	.60	.50
3 in. pot, 4 to 8 in	.25	.20	.15
decussata (Blue Speedwell), 21/2 to 3 ft	1.00	.85	.75
2 to 2½ ft	-85	.75	.60
1½ to 2 ft	.75 $.30$.60 .25	.20
3 in not 6 to 10 in	.25	.20	.15
hulkeana, 4 in. pot, 1 to 1½ ft	.40	.30	.25
imperialis (Imperial Speedwell),	*40	.00	,20
3 in. pot, 8 to 12 in	.25	.20	.15
pimelioides, 15 to 18 in	.75	.60	.50
19 to 15 in.	.65	.50	.40
10 to 12 in	.50	.40	.35
4 in. pot, 6 to 10 in	$.30 \\ .25$.25 .20	.20 .15
ninguifolia 18 to 24 in	1.00	.75	110
pinguifolia, 18 to 24 in	.75	.60	.50
12 to 15 in	.65	.50	.40
10 to 12 in	.50 .30	.40 .25	
4 in. pot, 8 to 12 in	.25	.20	.15
traversi (Bush Speedwell), 10 to 12 in	.60	.50	.40
6 to 10 in	.50	.40	.35
6 to 10 in	.25	.20	.15
VIBURNUM odoratissimum (Sweet Virburnum), 10 to 15 in. 3 in. pot, 4 to 8 in	.75 .25	.60 .20	
rhytidophyllum (Leatherleaf Viburnum), 2 to 2½ ft.	1.25	1.00	
4 in. pot, 1½ to 2 ft	.60	.50	
4 in. pot, 1½ to 2 ft	.50	.40	
4 in. pot, 8 to 12 in	.40	.35	.30
tinus (Laurustinus), 3½ to 4 ft	2.00	1.50	
2½ to 3 ft	$1.50 \\ 1.25$	$\frac{1.25}{1.00}$.90
2 to 2½ ft	1.00	.85	.75
1 to 1½ ft	.75	.60	.50
10 to 12 in	$.65 \\ .25$.50 .20	.40 .15
	1.25		.10
tinus lucidum (Shining Laurustinus), 1½ to 2 ft	1.25	1.00 .75	
8 to 12 in	.75	.60	
3 in. pot, 4 to 6 in	.25	.20	.18

DECIDUOUS TREES

All plants in this section will be dug with bare roots.

	each rate	10 rate	100 rate
ACER dasycarpum (Silver Maple), 4 to 6 ft\$.75	\$.60	\$.50
platanoides (Norway Maple), 4 to 6 ft	.85	.70	
platanoides schwedleri (Schwedler Maple), purple			
leafed), 8 to 10 ft	1.25	1.00	
6 to 8 ft	1.00	.85	.75
4 to 6 ft	.85	.70	.60
CRATAEGUS carrierei (Carriere Hawthorn),			
1 year buds, 6 to 8 ft.	1.50	1.25	1.00
I vear hilds. 4 to h II.	1.25	1.00	.75
1 year buds, 3 to 4 ft	$\substack{1.00 \\ .75}$.75 .60	
2 year buds, 6 to 8 ft	1.75	1.50	
2 year buds, 4 to 6 ft	1.50	1.25	
2 year buds, 3 to 4 ft	1.25	$\frac{1.00}{.75}$	
2 year buds, 1 to 2 ft	.75	.60	
cordata (Washington Hawthorn), seedlings,			
1 year, 4 to 6 ft	1.00	.75	
1 year, 3 to 4 ft	.75	.60	
1 year, 2 to 3 ft	$\frac{.60}{1.50}$	$\begin{array}{c} .50 \\ 1.25 \end{array}$	
2 year, 4 to 6 ft	1.25	1.00	
CRATAEGUS lavallei (Lavalle Hawthorn),	1.50	4.05	
1 year buds, 6 to 8 ft	$\frac{1.50}{1.25}$	$\frac{1.25}{1.00}$	
	1.20	1.00	
oxyacantha Double Pink (Double Pink Hawthorn),	1.50	1.05	1.15
1 year buds, 8 to 10 ft	$\frac{1.50}{1.25}$	$\frac{1.25}{1.10}$	1.15
1 year buds, 4 to 6 ft	1.00	.85	.75
1 year buds. 3 to 4 ft.	.75	.65	.50
2 year buds, 6 to 8 it	$1.50 \\ 1.25$	$1.25 \\ 1.00$	
2 year buds, 6 to 8 ft	1.00	.75	
2 year buds, 2 to 3 ft	.75	.60	
oxyacantha Double White (Double White Hawthorn),			
1 year buds, 6 to 8 ft	1.25	1.00	.85
1 year buds, 4 to 6 ft	1.00	.75	.65
1 year buds, 3 to 4 It	.75 .50	.60 .40	.50
1 year buds, 3 to 4 ft	1.25	1.10	1.00
oxyacantha splendens (Paul Double Scarlet Haw- thorn), 1 year buds, 4 to 6 ft	1.00	.85	.75
1 year buds, 3 to 4 ft	.75 .60	.65	.50
1 year buus, 2 to 5 It	.00	.50	.40
GINKGO biloba (Maidenhair Tree), 10 to 12 ft	2.00	1.75	
4 to 6 ft	1.25	1.00	
3 to 4 lt	1.00	.85	
LABURNUM vossi (new, long clustered), 2 to 3 ft	1.00	.75	
vulgare (Goldenchain), 8 to 10 ft	1.25	1.00	
6 to 8 ft	1.00	.75	
4 to 6 ft	.75	.60	
3 to 4 ft	.60 .50	.50 .40	
2 00 0 10	.00	.40	
LIRIODENDRON tulipifera (Tuliptree), 3 to 4 ft	.75	.60	
2 to 3 ft	.60	.50	
1 10 2 11	.50	.40	
MORUS alba pendula (Weeping Mulberry), 1 year	1.50	1.25	1.00
	.50	.40	
alba tatarica (Russian Mulberry), 6 to 8 ft	.40	.30	
3 to 4 ft	.30	.25	
nigra (Persian Mulberry), 8 to 10 ft	1.50	1.25	
6 to 8 ft	$\frac{1.25}{1.00}$	1.00 .75	
* W 0 16	1.00		

	each rate	10 rate	100 rate
PLATANUS orientalis (European Planetree; European			
Sycamore), 2 and 3 year, 8 to 10 ft	1.50	1.25	1.00
2 and 3 year, 6 to 8 ft	1.00	.85	.75
2 and 3 year, 5 to 6 ft	.85	.70	.60
2 and 3 year, 4 to 5 ft	.75	.60	.50
1 year from beds, 4 to 6 ft	.35	.30	.25
1 year from beds, 3 to 4 ft	.30	.25	.20
1 year from beds, 2 to 3 ft	.25	.20	.15
racemosa (California Planetree), 4 to 6 ft	1.00	.75	
POPULUS nigra italica (Lombardy Poplar), 10 to 12 ft	1.50	1.25	1.00
8 to 10 ft	1.25	1.00	.75
4 to 6 ft	.75	.60	.50
simoni fastigiata (Narrow Simon Poplar), 10 to 12 ft.	1.00	.85	.75
8 to 10 ft	.90	.75	.60
6 to 8 ft	.75	.60	.50
4 to 6 ft	.60	.50	.40
"Flagpole poplar" (new), 6 to 8 ft	1.00	.85	.75
4 to 6 ft	.75	.60	.50
tremula pendula ("Weeping" Poplar),	• • •		• • •
6 ft. stem, 1 year head	1.50	1.25	
o it, stem, i year nead	1.00	1.20	
QUERCUS coccinea (Scarlet Oak), 3 to 4 ft	.75	.60	
2 to 3 ft	.60	.50	
ROBINIA hispida macrophylla (Smooth Rose-Acacia),			
top grafted, 6 and 7 ft. stems, heavy	2.00	1.75	
6 ft. stems, regular	1.75	1.50	
kelseyi (new) (Kelsey Locust), 4 to 6 ft	1.00	.75	.60
3 to 4 ft	.75	.60	
pseudacacia (Common Locust), 10 to 12 ft	1.25	1.00	.85
8 to 10 ft	1.00	.85	.75
6 to 8 ft	.75	.60	.50
pseudacacia decaisneana (Decaisne Locust; Pink			
Locust), 12 to 14 ft.	2.00	.1.75	
10 to 12 ft	1.75	1.50	1.25
8 to 10 ft	1.50	1.25	1.00
6 to 8 ft	1.25	1.00	.75
SALIX babylonica (Babylon Weeping Willow), 6 to 8 ft	.75	.60	.50
4 to 6 ft	.60	.50	.40
SORBUS aucuparia (European Mountain-Ash), 4 to 6 ft	1.00	.75	.60
3 to 4 ft	.75	.60	.50
TILIA americana (American Linden), 16 to 18 ft	2.50	2.00	
12 to 14 ft	2.00	1.50	
8 to 10 ft	1.25	1.00	
4 to 6 ft	.75	.60	.50
3 to 4 ft	.60	.50	.40
ULMUS americana (American Elm), 8 to 10 ft	1.25	1.00	.75
6 to 8 ft	1.00	.75	.60
4 to 6 ft	.75	.60	.50
7 V V 1000000000000000000000000000000000	.10	•00	.00

DECIDUOUS SHRUBS

Unless otherwise noted all plants in this section will be balled at prices quoted. 100 rate rate rate CALYCANTHUS floridus (Common Sweetshrub), 2 to 2½ ft.....\$
1½ to 2 ft..... .60 .50 .50 .40 1 to 1½ ft..... .40 .30 CARYOPTERIS incana (Common Bluebeard), (Blue Spirea), .75 .50 .40 .60 .40 .40 .35 CYDONIA japonica (Flowering Quince) (Japanese Quince), seedlings, 2 to 3 ft.....seedlings, 1½ to 2 ft.... .60 .50 .40 .50 .40 .35 japonica "Blood Red" (cuttings), 2 to 3 ft., light,75 .60 1.00 .75 .50 -60 japonica umbilicata (cuttings), 2 to 3 ft., light...... .75 .60 .40 DEUTZIA gracilis (Slender Deutzia), 2 to 21/2 ft...... .50 .30 1½ to 2 ft..... .40 .30 lemoinei (Lemoine Deutzia), 1½ to 2 ft..... .40 .30 magnifica (new), 5 to 6 ft..... 1.50 1.25 1 00 4 to 5 ft..... 1.25 1.00 rosea (Rose Panicle Deutzia), 4 to 5 ft...... 2 to 3 ft..... 1.25 1.00 .40 .35 scabra candidissima (Snowflake Deutzia), 4 to 6 ft.....\$250.00 per 1000 .30 .50 .40 3 to 4 ft.....\$200.00 per 1000 .35 .25 scabra crenata, 4 to 6 ft..... .60 .50 .40 3 to 4 ft..... .50 .40 .50 scabra Pride of Rochester, 4 to 6 ft..... .60 .40 .50 .40 .30 .40 .25 EXOCHORDA grandiflora (Common Pearlbush), 4 to 6 ft. .75 .60 .60 .50 .40 .50 .40 .35 4 in. pot, 6 to 12 in..... .25 .20 .35FORSYTHIA intermedia (Border Forsythia), 6 to 8 ft...... 1.25 1.00 1.00 .60 .75 .60 .50 1.00 .75 .60 .75 .60 .50 suspensa fortunei (Fortune Weeping Forsythia), 1.25 1.00 .60 1.00 .75 .60 .75 .60 .50 40 HIBISCUS syriacus (Shrub Althea), 3 to 4 ft..... .50 2 to 3 ft..... .40 Varieties: Amplissimus, Double purple-pink, carmine center. Bicolor, Semi-double white, dark center. Boule de Feu, Double flaming red. Double Pink. Purpurea alba, Double purple, white center. HYDRANGEA paniculata grandiflora (Peegee), 11/2 to 2 ft. 1 to 1½ ft..... .30 .25 KERRIA japonica fl. pl. (Double Kerria), 2 to 3 ft..... .40 .35 .50 LIPPIA citriodora (Lemon Verbena), 4 to 6 ft..... .75 .60 .60 .50 .50 .40 PHILADELPHUS (Mockorange), Albatre (new), 3 to 4 ft..... .75 Avalanche (new), 6 to 7 ft..... .75 .50 3 to 4 ft..... .60

Bouquet Blanc (new), 5 to 6 ft	PHILADELPHUS—(Continued).	each rate	10 rate	100 rate
\$ 10 4 ft.		1.00		1 1
2 to 3 ft	4 to 5 ft			
Sto 4 ft.				
2 to 3 ft				
3 to 4 ft., light.				
Girandole (new), 2 to 3 ft				4.0
grandiflorus (Big Scentless Mockorange), 4 to 6 ft				.40
3 to 4 ft.				5 0
2 to 3 ft	3 to 4 ft			
"speciosus," 4 to 6 ft	2 to 3 ft			
"speciosus," 4 to 6 ft	Mont Blanc (new), 2 to 3 ft	.75	.60	
3 to 4 ft	, , , ,			
2 to 3 ft	3 to 4 ft			
Virginal (new), 3 to 4 ft				
Virginal (new), 3 to 4 ft	Sylvaine (new), 2 to 3 ft	.75		
PUNICA granatum (Pomegranate), Double Yellow, 4 to 6 ft			75	
4 to 6 ft	virginal (new), 5 to 4 It	1.00	.70	
4 to 6 ft	PUNICA granatum (Pomegranate), Double Yellow,			
2 to 3 ft.	4 to 6 ft	.60	.50	.40
Mme. Legrelle (Variegated, red and yellow), 3 to 4 ft				.35
3 to 4 ft		.40	.35	
2 to 3 ft		75		
Nama (Dwarf Pomegranate), 4 in. pot, 6 to 10 in	2 to 3 ft			.40
SALIX, French Pussy Willow, 8 to 10 ft	*			
6 to 8 ft	nana (Dwart Fomegranace), 4 m. pot, 6 to 10 m	.40	.50	.25
6 to 8 ft	SALIX, French Pussy Willow, 8 to 10 ft	1.00	.75	.60
3 to 4 ft.	6 to 8 ft			
2 to 3 ft				
vitellina aurea (Russian Golden Willow), 4 to 5 ft				
SPIRAEA Anthony Waterer (Anthony Waterer Spirea), 1½ to 2 ft				
1½ to 2 ft. .60 .50 10 to 15 in. .40 .35 .30 billiardi (Billiard Spirea), 4 to 6 ft. .50 .40 .30 .25 2 to 3 ft. .40 .30 .25 .20 froebeli (new) (Froebel Spirea), 2 to 3 ft. .75 .60 .20 reevesiana lanceata (cantoniensis fl. pl.) (Double Reeves Spirea), 3 to 4 ft. .75 .60 .50 .50 2 to 3 ft. .60 .50 .40 .50 .40 .40 .50 .40 thunbergi (Thunberg Spirea), 2 to 3 ft. .60 .50 .40 .50 .40 .40 .40 .35 .50 .40 .40 .35 .50 .40 .35 .50 .40 .35 .50 .40 .35 .50 .40 .35 .50 .40 .35 .50 .40 .35 .50 .40 .35 .50 .40 .35 .50 .40 .35 .50 .40 .35 .50 .40 .35 .50 .40 .35 .50 .40 .35 .50				
10 to 15 in	SPIRAEA Anthony Waterer (Anthony Waterer Spirea),	60	50	
billiardi (Billiard Spirea), 4 to 6 ft				.30
3 to 4 ft		50		
2 to 3 ft	3 to 4 ft			
reevesiana lanceata (cantoniensis fl. pl.) (Double Reeves Spirea), 3 to 4 ft	2 to 3 ft			
Reeves Spirea), 3 to 4 ft	froebeli (new) (Froebel Spirea), 2 to 3 ft	.75	.60	
2 to 3 ft				
thunbergi (Thunberg Spirea), 2 to 3 ft				
1 to 2 ft		.60	.50	.40
vanhouttei (Vanhoutte Spirea), 3 to 4 ft				
2 to 3 ft				
1½ to 2 ft				
SYRINGA chinensis (rothomagensis) (Chinese Lilac), 2 to 3 ft	1½ to 2 ft			.00
3 to 4 ft				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		75	60	
2½ to 3 ft				
2½ to 3 ft	persica (Persian Lilac), 3 to 3½ ft	.75		.50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2½ to 3 ft			.40
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	vulgaris (Common Lilac), (Purple), 4 to 5 ft			
1½ to 2 ft				.50 40
vulgaris alba (Common White Lilac), 2 to 3 ft	1½ to 2 ft			
vulgaris, Named Varieties, 2 year buds, 3 to 4 ft	vulgaris alba (Common White Lilac), 2 to 3 ft	.75		
2 year buds, 2 to 3 ft	vulgaris, Named Varieties, 2 year buds, 3 to 4 ft			
2 year buds, 10 to 12 in	2 year buds, 2 to 3 ft			
2 year buds, 10 to 12 in	2 year buds, 1 to 1½ ft			
vulgaris, Named Varieties, 1 year buds	2 year buds, 10 to 12 in.			
vulgaris, Named Varieties, (new) 1 year buds 1.00 .75	vulgaris, Named Varieties, 1 year buds	.60		.40
	vulgaris, Named Varieties, (new) 1 year buds	1.00	.75	

DESCRIPTION OF NAMED VARIETIES OF LILACS

Double:

CHAS. SARGENT—Violet mauve blended sky blue; enormous flowers and clusters. GEORGES BELLAIR—Buds bright carmine, opening to reddish purple; dwarf habit. HIPPOLYTE MARINGER—Purplish-mauve; compact flowers; very free.

JEAN BART-Rosy-violet, buds carmine.

LA TOUR D'AUVERGNE-Dark lilac, good.

LEON GAMBETTA-Pink-lilac, early; round, regular imbricated flowers.

MAXIMOWICZ-Violet-heliotrope, reverse silvery; enormous flowers.

MISS ELLEN WILLMOTT-Snow white; elegant spikes; fine large flowers.

ROSEA GRANDIFLORA-Rosy-lilac; fine panicles; early.

VICTOR LEMOINE—Azure-mauve, fading paler; beautiful large flowers. Single:

CHRISTOPHE COLOMB-Light lilac, buds purple; very fine and large.

CONDORCET—Semi-double, bluish mauve; flowers and thyrses large.

DE MIRIBEL-Dark bluish-violet; long compact panicles; very fine.

DR, BREITSCHNEIDER-Purple in bud, opening pale pink; late.

DR. LINDLEY-Brilliant violet-purple, buds red; very beautiful.

EDMOND BOISSIER-Purple lilac, purplish-carmine buds; flowers large.

GLOIRE DE LORRAINE-Dark lilac; late.

NIGRICANS-Lilac; fine.

PERLE VON STUTTGART-Pure White.

SOUV. DE LUDWIG SPAETH-Dark Purple.

NEW VARIETIES OF LILACS

Offered for the first time this season

The varieties marked * belong to a new class of Lilacs, the "Early Lilacs," a cross between one of the early flowering Lilacs and Syringa Giraldi; this latter Lilac has been recently introduced from China and is remarkable for its flowering a week or two before the other sorts. This cross originated a new race of tall growing Lilacs which expand their flowers before those now known.

*BERRYER-Semi-double; long thyrses of mauve flowers.

*CLAUDE BERNARD-Double or semi-double; bright mauve lilac.

EMILIE GENTIL—Double; large imbricated flowers, bright cobalt-blue; a very rare shade among Lilacs.

JEAN MACE—Double; broad, compact panicles, irregular flowers, changing to bluish; an early and very floriferous variety.

*LAMARTINE—Single; large clusters of rosy-mauve flowers; a very strong grower.

MARECHAL LANNES—Double; a most beautiful variety with very large individual flowers; semi-double to double; bluish violet.

*MIRABEAU-Single; mauve, the earliest of all.

*PASCAL-Single; pure lilac; very free.

PRESIDENT FAILLIERES-Double; immense clusters; pale lavender.

PRESIDENT LOUBET—Double; large purple flowers with red buds, a very distinct variety.

*VAUBAN-Double; tender pinkish mauve.

VESTALE—Single; large pure white panicles, perfectly shaped flowers.

•	rate each	rate 10	rate 100
TAMARIX pentandra (Five Stamen Tamarix), 6 to 8 ft	1.00 .75	.75 .60	.60 .50
3 to 4 ft VIBURNUM opulus sterile (Common Snowball).	.60	.50	.40
1½ to 2 ft WEIGELA Conquete (new), 2 to 3 ft	.50 .75	.40 .60	.35
Fleur de Mai, 3 to 4 ftnana variegata (Dwarf Variegated Weigela),	.75	.65	
2 to 3 ft	.75 .60	.60 .50	
rosea fol. purp. (new) (Purple leafed), 1½ to 2 ft Assorted named varieties, 4 to 5 ft	.75 1.00	.60 .75	
3 to 4 ft	.75	.60 .50	.50 .40
1½ to 2 ft	.50	.40	.35

amabilis (Rose Weigela). candida (Snow Weigela).

Chameleon—pink to white. gigantiflora—pink. rosea (Pink Weigela).

FLOWERING FRUIT TREES

All plants in this section will be dug with b	each	10	100
FLOWERING APPLES	rate	rate	rate
MALUS floribunda (Japanese Flowering Crab), 6 to 8 ft\$		\$ 1.00	
4 to 6 ft	1.00 .75	.75 .60	
5 gallon can, 4 to 6 fthalliana (Hall Crab), 3 to 4 ft	1.25 1.00	.75	
halliana parkmani, 3 to 4 ft	1.00	.75	.60
2 to 3 ft	$\frac{.75}{1.25}$	$\frac{.60}{1.00}$	
ioensis bechteli (Bechtel Crab), 2 to 21/2 ft	1.00	.85	.75
1½ to 2 ft	.75 1.50	$\frac{.60}{1.25}$	1.00
2 year, 2½ to 3 ft	$1.25 \\ 1.50$	$\frac{1.00}{1.25}$.85
niedzwetzkyana (Redvein Crab), 2 year, 6 to 8 ft	1.25	1.00	
5 gallon can, 4 to 6 ftscheideckeri (Scheidecker Crab), 6 to 8 ft	1.25 1.25	1.00 1.00	
4 to 6 ft	1.00	.75 .60	
2 year, 6 to 8 ft	1.50	1.25	
2 year, 3 to 4 ftspectabilis (Chinese Flowering Crab), 6 to 8 fts	1.00 1.25	.75 1.00	
4 to 6 ft	1.00	.75	
3 to 4 ft	1.50	$\frac{.60}{1.25}$	
2 year, 4 to 6 ft	1.25 1.00	1.00 .75	.60
3 to 4 ft	.75	.60	.00
2 year, 6 to 8 ft	1.50	1.25	
FLOWERING APRICOTS			
PRUNUS mume (Japanese Apricot), Dawn, 6 to 8 ft	1.25	1.00	.85
4 to 6 ft	1.00 .85	.85 .70	.75 .60
5 gallon can, 6 to 8 ft	1.50	1.25	
5 gallon can, 4 to 6 ft Early Double Pink, 4 to 6 ft	1.25 1.00	1.00 .85	.75
Weeping Red (top worked)	2.00	1.50	
DI OWIDDING DE LOVIDG			
FLOWERING PEACHES			
AMYGDALUS persica, Double Pink, gallon can, 3 to 4 ft 6 in. pot, 1½ to 2 ft	$\frac{1.00}{.75}$.75 .60	
Early Red, gallon can, 3 to 4 ft	1.00	.75	
Weeping Double Red, top grafted	2.00	1.50	
Weeping Single Red, top grafted	1.75	1.25	
FLOWERING PLUMS			
PRUNUS pissardi (Purpleleaf Plum), 6 to 8 ft	1.25	1.00	
4 to 6 ft	1.00 .75	.75 .60	
blirieana (purple leaves; double pink flowers),			
6 to 8 ft	$1.25 \\ 1.00$	1.00 .75	
5 gallon can, 4 to 6 ft	1.50	1.25	
triloba (Flowering Plum), 4 to 6 ft	.75 .60	.60 .50	
"Vesuvius," 4 to 6 ft	1.00	.75 .60	.60
0 W 4 IV	.10	.00	.00

CLIMBERS

Unless otherwise noted all plants in this section will be	hallad	at prices	amaka J
chiess otherwise noted an plants in this section will be	each	at prices	
	rate	rate	100 rate
BIGNONIA grandiflora (Chinese Trumpetcreeper),		1440	2000
2 year field	.60	.50	
4 in. pot, 2 to 3 ft	.60	.50	
radicans (Trumpetcreeper), 2 year field	.50	.40	
CLEMATIS armandi (new, evergreen) (Armand Clematis), 5 in pot., 1½ to 2 ft	.75	.60	
montana (Anemone Clematis), 4 in. pot, 3 to 4 ft		.30	.25
EUONYMUS radicans acutus (Sharpleaf Wintercreeper), 4 in. pot, 1½ to 2 ft	.40 .15	.30 .12	.25 .10
radicans vegetus (Bigleaf Wintercreeper)			
4 in pot, 2 year	.35	.25	.20
2½ in pot	.15	.12	.10
GELSEMIUM sempervirens (Carolina Jessamine), 4 in. pot, 1 to 1½ ft	.35	.25	
HARDENBEGIA monophylla rosea,			
4 in pot, 2 to 2½ ft, 2 year	.50	.40	.30
monophylla alba, 4 and 5 in. pot, 2 to 3 ft., 2 year	.40	.30	.25
JASMINUM beesianum (Rosy Jasmine), 4 in pot, 2 to 3 ft., 2 year	.40	.30	.25
2½ in pot, 2 to 3 ft	.25	.20	.15
primulinum (Primrose Jasmine), 5 in. pot, 4 to 5 ft.	.60	.50	
4 in. pot, 2 to 3 ft	.40	.30	
4 in. pot, 1½ to 2 ft	.30	.25	.20
LONICERA japonica aureoreticulata (Yellownet Japanese Honeysuckle), 4 in. pot, 2 to 3 ft., 2 year	.35	.25	.20
japonica chinensis (Purple Japanese Honeysuckle)			
4 and 5 in. pot, 3 to 4 ft	.40	.30	.25
4 in. pot, 2 to 3 ft	.30	.25	.20
japonica halliana (Hall Japanese Honeysuckle), 4 in. pot, 3 to 4 ft	.35	.25	.20
"Scarlet Trumpet" balled, 3 to 4 ft	.75	.60	.50
4 in. pot, 2 to 3 ft., 2 year	.50	.40	.35
4 in. pot, 1 year	.40	.30	.25
PANDOREA australia (Tecoma) (Australian Pandorea)			
PANDOREA australis (Tecoma) (Australian Pandorea), 4 in. pot, 1 year	.30	.25	
PHILADELPHUS mexicana (Mexican Mockorange), balled, 3 to 3½ ft	75	.60	.50
baried, 5 to 572 It	.75	.00	.50
SOLANUM jasminoides (Jasmine Nightshade),			
4 in. pot, 3 to 4 ft., 2 year	.40	.30	.25
4 in. pot, 2 to 3 ft., 1 year	.30	.25	
WISTERIA multijuga (Longcluster Wisteria),			
seedlings, 3 to 4 ft	1.25	1.00	.85
sinensis (Chinese Wisteria), seedlings, 3 to 4 ft	1.25	1.00	.85
MISCELLANEOUS			
Unless otherwise noted all plants in this section will be l	alled	at prices o	quoted.
	each	10	100
	rate	rate	rate
DRACAENA indivisa (Blue Dracaena), 21/2 to 3 ft	1.25	1.00	.75
2 to 21/a ft.	1.00	.75	.60
1½ to 2 it	.75	.60	.50
1½ to 2 ft	.50	.40	.30
2½ in. pot, 3 to 4 in	.20	.15	.12

ROSES

We handle roses very extensively, both budded and own roots. The latter are practically sold out for this season. Revised list on budded roses will be sent out as soon as present orders are filled and recounts made. Meanwhile we shall be glad to make quotations on request and send our descriptive list covering most of the newer roses and the best of the old.

PLEASE NOTE

This price list covers only stock offered by Clarke Nursery Co., San Jose, Calif.

We also act as sole marketing agents for several other concerns and handle many good lines on a brokerage basis, so are in a position to supply almost anything produced on the Pacific Coast in

NURSERY STOCK, ROSES and BULBS

Inquiries on any of these lines will receive prompt attention.

W. B. CLARKE & SON SAN JOSE, CALIFORNIA